

CANdb++ Report "RX-Signals of Nodes"

Network Node

RX-Signals

BB_EV_Node

Address: 0x0

BB_AN0H

Length: 8

Startbit: 0

Byte Order: Intel

Value Type: Unsigned

BB_AN10L

Length: 8

Startbit: 8

Byte Order: Intel

Value Type: Unsigned

BB_AN1H

Length: 8

Startbit: 16

Byte Order: Intel

Value Type: Unsigned

BB_AN23L

Length: 8

Startbit: 24

Byte Order: Intel

Value Type: Unsigned

BB_AN2H

Length: 8

Startbit: 32

Byte Order: Intel

Value Type: Unsigned

BB_AN3H

Length: 8

Startbit: 40

Byte Order: Intel

Value Type: Unsigned

BB_GPIO

Length: 8

Startbit: 48

Byte Order: Intel

Value Type: Unsigned

BB_IJINTFL

Length: 8

Startbit: 56

Byte Order: Intel

Value Type: Unsigned

DD_BBData

Length: 8

Startbit: 16

Byte Order: Intel

Value Type: Unsigned

DD_BBMask

Length: 8

Startbit: 0

Byte Order: Intel

Value Type: Unsigned

DD_BBRegister

Length: 8

Startbit: 8

Byte Order: Intel

Value Type: Unsigned

No of RX-Signals: 11

DD_EV_Node

Address: 0x0

BB_AN0H

Length: 8

Startbit: 0

Byte Order: Intel

Value Type: Unsigned

BB_AN10L

Length: 8

Startbit: 8

Byte Order: Intel

Value Type: Unsigned

CANdb++ Report "RX-Signals of Nodes"

Network Node	RX-Signals			
	BB_AN1H			
	Length: 8	Startbit: 16	Byte Order: Intel	Value Type: Unsigned
	BB_AN23L			
	Length: 8	Startbit: 24	Byte Order: Intel	Value Type: Unsigned
	BB_AN2H			
	Length: 8	Startbit: 32	Byte Order: Intel	Value Type: Unsigned
	BB_AN3H			
	Length: 8	Startbit: 40	Byte Order: Intel	Value Type: Unsigned
	BB_GPIO			
	Length: 8	Startbit: 48	Byte Order: Intel	Value Type: Unsigned
	Length: 8	Startbit: 0	Byte Order: Intel	Value Type: Unsigned
	BB_IJINTFL			
	Length: 8	Startbit: 56	Byte Order: Intel	Value Type: Unsigned
	Length: 8	Startbit: 8	Byte Order: Intel	Value Type: Unsigned
	SOCM_ActualChargingAmps			
	Length: 24	Startbit: 0	Byte Order: Intel	Value Type: Unsigned
	SOCM_ActualDischargingAmps			
	Length: 24	Startbit: 24	Byte Order: Intel	Value Type: Unsigned
	SOCM_ActualHalfPackVoltage			
	Length: 16	Startbit: 16	Byte Order: Intel	Value Type: Unsigned
	SOCM_ActualPackVoltage			
	Length: 16	Startbit: 0	Byte Order: Intel	Value Type: Unsigned
	SOCM_AhAvailable			
	Length: 16	Startbit: 0	Byte Order: Intel	Value Type: Unsigned
	SOCM_AuxBatteryVoltage			
	Length: 16	Startbit: 0	Byte Order: Intel	Value Type: Unsigned
	SOCM_ChargerStatus			
	Length: 1	Startbit: 1	Byte Order: Intel	Value Type: Unsigned
	SOCM_Efficiency			
	Length: 16	Startbit: 16	Byte Order: Intel	Value Type: Unsigned

CANdb++ Report "RX-Signals of Nodes"

Network Node	RX-Signals			
	SOCM_ExternalLightsStatus Length: 1 Startbit: 0	Byte Order: Intel	Value Type: Unsigned	
	SOCM_IgnitionSwitch Length: 1 Startbit: 39	Byte Order: Intel	Value Type: Unsigned	
	SOCM_InstChargingAmps Length: 24 Startbit: 0	Byte Order: Intel	Value Type: Unsigned	
	SOCM_InstDischargingAmps Length: 24 Startbit: 24	Byte Order: Intel	Value Type: Unsigned	
	SOCM_InstHalfPackVoltage Length: 16 Startbit: 0	Byte Order: Intel	Value Type: Unsigned	
	SOCM_InstPackVoltage Length: 16 Startbit: 16	Byte Order: Intel	Value Type: Unsigned	
	SOCM_InstPowerKW Length: 16 Startbit: 32	Byte Order: Intel	Value Type: Unsigned	
	SOCM_MilesToEmpty Length: 16 Startbit: 23	Byte Order: Intel	Value Type: Unsigned	
	SOCM_Mode Length: 2 Startbit: 5	Byte Order: Intel	Value Type: Unsigned	
	SOCM_NewRange Length: 16 Startbit: 0	Byte Order: Intel	Value Type: Unsigned	
	SOCM_ShuntTypeSelected Length: 3 Startbit: 2	Byte Order: Intel	Value Type: Unsigned	
	SOCM_SOC Length: 16 Startbit: 16	Byte Order: Intel	Value Type: Unsigned	
	SOCM_TempSensor1 Length: 16 Startbit: 16	Byte Order: Intel	Value Type: Unsigned	
	SOCM_TempSensor2 Length: 16 Startbit: 32	Byte Order: Intel	Value Type: Unsigned	
	SOCM_TimeToFull Length: 16 Startbit: 7	Byte Order: Intel	Value Type: Unsigned	

CANdb++ Report "RX-Signals of Nodes"

Network Node

RX-Signals

SOCM_TotalRange

Length: 16 Startbit: 16 Byte Order: Intel Value Type: Unsigned

SOCM_VehicleSpeed

Length: 16 Startbit: 0 Byte Order: Intel Value Type: Unsigned

SOCM_WhUsed

Length: 32 Startbit: 0 Byte Order: Intel Value Type: Unsigned

No of RX-Signals: 36

SOCM_EV_Node

Address: 0x0

CONF_SOCM_AnalogOutput

Length: 8 Startbit: 18 Byte Order: Intel Value Type: Unsigned

CONF_SOCM_AvgWhPerMile

Length: 16 Startbit: 2 Byte Order: Intel Value Type: Unsigned

CONF_SOCM_Reset

Length: 1 Startbit: 0 Byte Order: Intel Value Type: Unsigned

CONF_SOCM_ShuntFactor

Length: 3 Startbit: 26 Byte Order: Intel Value Type: Unsigned

CONF_SOCM_UnitOfDistance

Length: 1 Startbit: 1 Byte Order: Intel Value Type: Unsigned

No of RX-Signals: 5